

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	709/238,239.ccls. and (reroute or re \$rout\$3) same (loopback) same (fail\$4 or fall\$)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 17:46
L2	3	709/238,239.ccls. and (reroute or re \$rout\$3) same (loopback) and (fail \$4 or fall\$)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 17:46
L3	12	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 17:48
S1	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:42
S2	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:42
S3	137	(gateway) same (router) same (vector) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:43
S4	4	(gateway) same (router) same (vector) with (protocol) same (optimal) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:43

S5	4	(gateway) same (router) same (optimal) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:54
S6	11	(gateway) same (router) same (optimal or best) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:56
S7	523	(loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:02
S8	8	(loopback) near4 (address\$2) with (BGP)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:03
S9	79	(loopback) near4 (address\$2) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:06
S10	19	(loopback) near4 (address\$2) same (router) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:06
S11	14	(loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:10
S12	1	(assigned) same (loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:14
S13	15	(assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:26

S14	15	(assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:39
S15	6	(assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 15:39
S16	8	(assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 17:41
S17	39	709/238,239.ccls. and (loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 18:53
S18	26	709/238,239.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 19:01
S19	10	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:19
S20	0	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:25
S21	6	(loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:25

S22	7	(loopback) near4 (address\$2) same (rout\$3 or path) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:30
S23	0	(loopback) near4 (address\$2) same (status) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:31
S24	29	(loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:31
S25	21	Rout\$4 and (loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:37
S26	41	BGP same (loopback)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:38
S27	5	"594461".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 09:55
S28	296	loopback adj address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 18:46
S29	31	loopback adj address and (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 18:54
S30	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22

S31	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S32	150	(gateway) same (router) same (vector) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S33	4	(gateway) same (router) same (vector) with (protocol) same (optimal) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S34	4	(gateway) same (router) same (optimal) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S35	14	(gateway) same (router) same (optimal or best) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S36	574	(loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S37	10	(loopback) near4 (address\$2) with (BGP)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S38	89	(loopback) near4 (address\$2) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S39	23	(loopback) near4 (address\$2) same (router) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22

S40	15	(loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S41	1	(assigned) same (loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S42	17	(assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S43	17	(assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S44	6	(assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S45	10	(assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S46	10942	709/238,239.ccls. and (loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S47	10593	709/238,239.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22

S48	11	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S49	0	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S50	7	(loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S51	8	(loopback) near4 (address\$2) same (rout\$3 or path) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S52	0	(loopback) near4 (address\$2) same (status) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S53	29	(loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S54	21	Rout\$4 and (loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S55	42	BGP same (loopback)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22
S56	6	"594461".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 19:22

S57	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S58	2	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S59	165	(gateway) same (router) same (vector) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S60	4	(gateway) same (router) same (vector) with (protocol) same (optimal) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S61	4	(gateway) same (router) same (optimal) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S62	15	(gateway) same (router) same (optimal or best) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S63	624	(loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S64	15	(loopback) near4 (address\$2) with (BGP)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34

S65	102	(loopback) near4 (address\$2) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S68	1	(assigned) same (loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S69	20	(assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S70	20	(assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S71	7	(assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S72	11	(assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S75	12	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S76	0	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34

S79	0	(loopback) near4 (address\$2) same (status) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S80	36	(loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S81	26	Rout\$4 and (loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S82	49	BGP same (loopback)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S83	6	"594461".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S84	325	loopback adj address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S86	1	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S87	2	(gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S88	165	(gateway) same (router) same (vector) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34

S89	4	(gateway) same (router) same (vector) with (protocol) same (optimal) same (path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S90	4	(gateway) same (router) same (optimal) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S91	15	(gateway) same (router) same (optimal or best) same (path or route) same (converg\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S92	624	(loopback) near4 (address\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S93	15	(loopback) near4 (address\$2) with (BGP)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S94	102	(loopback) near4 (address\$2) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S97	1	(assigned) same (loopback) near4 (address\$2) same (gateway) same (router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S98	20	(assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S99	20	(assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34

S100	7	(assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S101	11	(assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S104	12	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S105	0	370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RIB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S108	0	(loopback) near4 (address\$2) same (status) same (reachability)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S109	36	(loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S110	26	Rout\$4 and (loopback) near4 (address\$2) same (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S111	49	BGP same (loopback)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34
S112	6	"594461".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 19:34

S113	18	(remov\$3 or exclud\$3) with (alternat\$3 or secondary) with (path or route) with (failed)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/10 17:53
S114	18	(remov\$3 or exclud\$3 or disqualif\$7) with (alternat\$3 or secondary) with (path or route) with (failed)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/10 17:59
S115	87	(reroute or re\$rout\$3) same (loopback)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/10 18:37
S116	35	(reroute or re\$rout\$3) same (loopback) same (fail\$4 or fall\$)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/10 18:37
S117	9859	709/238, "238".cccls. and (reroute or re\$rout\$3) same (loopback) same (fail\$4 or fall\$)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/10 19:49
S118	1	709/238,239.cccls. and (reroute or re\$rout\$3) same (loopback) same (fail\$4 or fall\$)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/10 19:49

4/15/2010 5:51:18 PM

C:\Documents and Settings\abilgrami\My Documents\EAST\Workspaces\10670940.wsp